Datto BCDR Integration Setup

Setting up your Datto BCDR integration with MSPbots requires you to secure the Datto BCDR API URL, public key, and secret key and then enter these values when you connect Datto BCDR to MSPbots.

What's in this article:

- How to retrieve parameter values
- How to connect Datto BCDR with MSPbots

How to retrieve parameter values

Perform the following steps to set up the connection:

1. Log into the Datto Partner Portal.
2. Click the **Admin** tab, then select **Integrations** from the dropdown menu.
3. On the Integrations page, click the **BCDR** button at the top of the screen.
4. When the Business Continuity and Data Recovery integration information panes open, click the **Enable API** button in the top portion of the pane.
5. The Datto REST API is now enabled, and configuration options will now appear.

When connecting Datto BCDR to MSPbots,

- Use the **Rest API Public Key** as Public Key
- Use the **Rest API Secret Key** as Secret Key.

How to connect Datto BCDR with MSPbots

1. Log in to the MSPbots app and navigate to **Integrations**.

2. Search for **Datto Backup** and open it.
3. Enter the following required fields:
    - **API URL** - The default value is api.datto.com. Refer to Datto's documentation Using the Datto REST API With Datto device Integrations for more information.
    - **Public Key**

- **Secret Key**

When connecting Datto BCDR to MSPbots,

- ○ *Use the Rest API Public Key as **Public Key***
- ○ *Use the Rest API Secret Key as **Secret Key***

Refer to Step 5 in How to retrieve parameter values.

4. Click **Save and Sync**.